

Current Updates in Aging

Editorial

Open Access

Aging and Oral Health

Manas Bajpai* and Nilesh Pardhe

Department of Oral and Maxillofacial Pathology,
NIMS Dental College

***Corresponding author:** Manas Bajpai, Department of Oral and Maxillofacial Pathology, NIMS Dental college, Jaipur, Rajasthan, India, Email: dr.manasbajpai@gmail.com

Copyright: © 2017 Manas Bajpai and Nilesh Pardhe. This article is distributed under the terms of the Creative Commons Attribution 4.0 International License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided you give appropriate credit to the original author(s) and the source.

Original Submission

Received: January 20, 2017

Accepted: February 12, 2017

Published: February 20, 2017

Open Peer Review Status: Editorials, news items, analysis articles, and features do not undergo external peer review.

How to cite this article: Manas Bajpai, Nilesh Pardhe. Aging and Oral Health. Curr Updates Aging. (2017) 1: 2.1

Current Updates in Aging

The mouth reflects a person's health and well being throughout the life. Oral diseases can have an impact on many aspects of general health and health conditions can in turn have an impact on oral health [1]. The aging process can be as hard on our mouths, teeth and gums as it is on other parts of our bodies. As we get older, we are more susceptible to the buildup of plaque and the weakening and cracking of older fillings. In addition, there is a tendency for our teeth to become brittle, and many seniors suffer from diminished muscular control, which can make chewing or wearing dentures more difficult. Finally, the older we get, the more vigilant we need to be against developing gum disease. Based on a recent study the risk of malnutrition tripled when mouth is unhealthy [2]. Compared to previous decades, the elderly population today is much more predominant in the world and continues to rapidly increase due to longer life expectancy and the effects of the baby boom generation [3].

Oral Health Related Quality of Life

This term is often used to describe the impact that one's oral health can have on their daily life experiences, it reflects the reality that modern dentistry is not just aiming to prolong life or eliminate oral disease, but ultimately is attempting to make life better [1,2]. Most of the changes in oral health of elderly are the consequences of chronic disease and medications accompanied by physical disability; it is proved that a link between poor oral health and other diseases exist. Few diseases and their association with poor oral health are described here [4].

Pneumonia

Bacterial pneumonia is a leading cause of death in elderly individuals. The microorganisms that cause pneumonia are commonly found in significantly high concentrations in the dental plaque of people with gum disease. Many studies have demonstrated that poor oral hygiene in older adults is a major risk factor for pneumonia, in particular a strain called "aspiration pneumonia", which is caused by bacteria-laden saliva accidentally entering the windpipe and travelling to the lungs [5].

Cardiovascular Diseases

Several studies have shown that having gum disease increases one's risk of developing cardiovascular disease (CVD) [1]. Inflammation is a major risk factor for heart disease, and the bacterial accumulations associated with periodontal disease can increase inflammation levels throughout the entire body [3,5,6].

Diabetes

Diabetics are particularly susceptible to contracting infections; they are at greater risk than most people of developing gum disease. At the same time, oral infections can increase the severity of diabetes by increasing blood sugar levels, leading to such complications as premature degeneration of the eyes,

kidneys, nerves and blood vessels [7].

Malnutrition

There is a clear relationship between poor oral health and malnutrition in the elderly. Older individuals with good oral health benefit from being able to eat a much broader variety of nutritious foods than those with pain, discomfort or tooth loss [6]. The researchers concluded that poor dental health, combined with diminished ability to communicate, can cause weight loss, dehydration and infirmity [8].

In addition to helping prevent the conditions listed above, good oral health and hygiene have been associated in less direct ways with the prevention of other diseases i.e osteoporosis and rheumatoid arthritis in different ways [5].

Osteoporosis

The disease is characterized by decreased bone density and weakened bones. As it progresses, osteoporosis can compromise bones to the point that they break under otherwise normal stresses. It is often considered a "silent disease" that has few symptoms in its early stages [2]. There is a strong relationship between bone metabolism and oral health, and dentists are in a unique position to help identify people with low bone density. Early signs of osteoporosis can often be seen in the mouth and detected through oral examination and dental X-rays [8].

Rheumatoid Arthritis

There is also evidence that treating severe gum disease may alleviate some of the symptoms of rheumatoid arthritis (RA) in people suffering from both conditions. RA and periodontitis are both common chronic inflammatory conditions. Researchers have concluded that non-surgical periodontal therapy had a beneficial effect on the signs and symptoms of RA, regardless of the medications being used to treat the condition [2,3,8].

Good oral health is essential to healthy aging. Because effective interventions to prevent and control oral disease exist, good oral health can be achieved by older adults. The public health system can play a vital role in ensuring that this occurs.

References

1. Rosenoer LM, Sheiham A. Dental impacts on daily life and satisfaction with teeth in relation to dental status in adults. *J Oral Rehabil.* 1995; 22: 469-480.
2. Burt BA, Eklund SA. *Dentistry, Dental Practice, and the Community.* St. Louis: Elsevier Saunders. 2005; 224.
3. G Jones, HM Cooley. Symptomatic fracture incidence in those under 50 years of age in southern Tasmania. *Journal of Paediatrics and Child Health.* 2002; 38: 278-283.

Current Updates in Aging

4. Eli I, Bar-Tal Y, Kostovetzki I. At first glance: social meanings of dental appearance. *J Public Health Dent.* 2001; 61: 150-154.
5. Strayer MS. Dental health among homebound elderly. *J Public Health Dent.* 1993; 53: 12-16.
6. C Mock, MN Cherian. The global burden of musculoskeletal injuries: challenges and solutions. *Clinical Orthopaedics and Related Research.* 2008; 466: 2306–2316.
7. Heitz-Mayfield LJ, Trombelli L, Heitz F, Needleman I, Moles D. A systematic review of the effect of surgical debridement vs non-surgical debridement for the treatment of chronic periodontitis. *J Clin Periodontol.* 2002; 29: 92-102.
8. Polinder S1, Meerding WJ, Mulder S, Petridou E, van Beeck E, et al. Assessing the burden of injury in six European countries. *Bulletin of the World Health Organization.* 2007; 85: 27–34.